

FIG. 1




FIG. 2





FIG. 3


## Legacy Input

Supplier Part Number	Manufactur er	Manufacturer Part Number	Category 1	Noun	Modifier	Char 1	Val 1
78909195325	АМР	406372-2	Data Comm	CONNECT OR	сомм	TYPE	JACK, MODULAR
Char 2	Val 2	Char 3	Val 3	Char 4	Val 4	Char 5	Val 5
CONDUCTOR	26-20 AWG SOL/STR	POSITION	8	COLOR	BLACK	ADD'T'N' L DETAIL	ENHANCED CATEGORY 5,RJ45, UNIVERSAL 110 F/ T568A & T568B WIRING SCHEMES

FIG. 4a

## **Catalog Output**





## **Product Description**

110 Modular Jack Assembly, R145, Universal, Category 5, Modular Plugs and Jacks, Cabl Mounted Jacks, Brand: AMP, F/T568A & T568b Wiring Schemes, Package Quantity: 1

## **FEATURES**

110 Modular Jack Assembly, RJ145, Universal, Category 5, Modular Plugs and Jacks, Cable Mounted Jacks, Brand: AMP, Product Type: Jack, Jack Type: 110Connect, No. of Positions 8, Wiring Pattern: Universal, Termination Style: 110 style punch-down, NETCONNECT Select System: Yes, Keyed: No, Shielded: No, Performance Category: Enhanced Cat 5, ;Housing Color: Bl;ack, Packaging Method: Poly Bag, Packaging Quantity 1, Housing Material: Polyphenylene Oxide, Housing Flammability Rating: UL 94V-0, Contact Material: Phosphor Bronze, Contact Mating Area Plating: Gold (50) over Nickel, Contact Termination Area Plating: Tin-lead over Nickel, Wire Range (Solid)(mm[AWG]):22-26AWG, Wire Range (Stranded)(mm[AWG]):20-26 AWG, 110 Block Material Polycarbonate, Comment: T568A and T568B wiring patterns combined in one P/N.

Type:	Category 5
Conductors:	8 Wire
Color:	Black
Manufacturer Name:	AMP
Price:	\$.01
Product ID:	1084179

FIG. 4b

